


TLX 嵌入安装式密封导电环

1.1 结构示意图



1.2 适用场景

TLX 嵌入安装式密封导电环适用于需要密封防护场所使用的电机及设备。在导电的同时自带摩擦系数极低的聚四氟乙烯密封唇口，具有良好的密封效果。可在原有骨架油封的安装位置直接安装，参照 3.5.7 安装的方法。

1.3 规格表

a) 外径轴径差 25-单层毛刷

序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度	序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度
1	TLX30D55H10D1	∅28.5~∅30	∅55 ^{+0.146 +0.096}	∅55(H8)*11	32	TLX185D210H10D1	∅183.5~∅185	∅210 ^{+0.172 +0.122}	∅210(H8)*11
2	TLX35D60H10D1	∅33.5~∅35	∅60 ^{+0.146 +0.096}	∅60(H8)*11	33	TLX190D215H10D1	∅188.5~∅190	∅215 ^{+0.172 +0.122}	∅215(H8)*11
3	TLX40D65H10D1	∅38.5~∅40	∅65 ^{+0.146 +0.096}	∅65(H8)*11	34	TLX195D220H10D1	∅193.5~∅195	∅220 ^{+0.172 +0.122}	∅220(H8)*11
4	TLX45D70H10D1	∅43.5~∅45	∅70 ^{+0.146 +0.096}	∅70(H8)*11	35	TLX200D225H10D1	∅198.5~∅200	∅225 ^{+0.172 +0.122}	∅225(H8)*11
5	TLX50D75H10D1	∅48.5~∅50	∅75 ^{+0.146 +0.096}	∅75(H8)*11	36	TLX205D230H10D1	∅203.5~∅205	∅230 ^{+0.172 +0.122}	∅230(H8)*11
6	TLX55D80H10D1	∅53.5~∅55	∅80 ^{+0.146 +0.096}	∅80(H8)*11	37	TLX210D235H10D1	∅208.5~∅210	∅235 ^{+0.172 +0.122}	∅235(H8)*11
7	TLX60D85H10D1	∅58.5~∅60	∅85 ^{+0.154 +0.104}	∅85(H8)*11	38	TLX215D240H10D1	∅213.5~∅215	∅240 ^{+0.172 +0.122}	∅240(H8)*11
8	TLX65D90H10D1	∅63.5~∅65	∅90 ^{+0.154 +0.104}	∅90(H8)*11	39	TLX220D245H10D1	∅218.5~∅220	∅245 ^{+0.172 +0.122}	∅245(H8)*11
9	TLX70D95H10D1	∅68.5~∅70	∅95 ^{+0.154 +0.104}	∅95(H8)*11	40	TLX225D250H10D1	∅223.5~∅225	∅250 ^{+0.172 +0.122}	∅250(H8)*11
10	TLX75D100H10D1	∅73.5~∅75	∅100 ^{+0.154 +0.104}	∅100(H8)*11	41	TLX230D255H10D1	∅228.5~∅230	∅255 ^{+0.181 +0.131}	∅255(H8)*11
11	TLX80D105H10D1	∅78.5~∅80	∅105 ^{+0.154 +0.104}	∅105(H8)*11	42	TLX235D260H10D1	∅233.5~∅235	∅260 ^{+0.181 +0.131}	∅260(H8)*11
12	TLX85D110H10D1	∅83.5~∅85	∅110 ^{+0.154 +0.104}	∅110(H8)*11	43	TLX240D265H10D1	∅238.5~∅240	∅265 ^{+0.181 +0.131}	∅265(H8)*11
13	TLX90D115H10D1	∅88.5~∅90	∅115 ^{+0.154 +0.104}	∅115(H8)*11	44	TLX245D270H10D1	∅243.5~∅245	∅270 ^{+0.181 +0.131}	∅270(H8)*11
14	TLX95D120H10D1	∅93.5~∅95	∅120 ^{+0.154 +0.104}	∅120(H8)*11	45	TLX250D275H10D1	∅248.5~∅250	∅275 ^{+0.181 +0.131}	∅275(H8)*11
15	TLX100D125H10D1	∅98.5~∅100	∅125 ^{+0.163 +0.113}	∅125(H8)*11	46	TLX255D280H10D1	∅253.5~∅255	∅280 ^{+0.181 +0.131}	∅280(H8)*11
16	TLX105D130H10D1	∅103.5~∅105	∅130 ^{+0.163 +0.113}	∅130(H8)*11	47	TLX260D285H10D1	∅258.5~∅260	∅285 ^{+0.181 +0.131}	∅285(H8)*11
17	TLX110D135H10D1	∅108.5~∅110	∅135 ^{+0.163 +0.113}	∅135(H8)*11	48	TLX265D290H10D1	∅263.5~∅265	∅290 ^{+0.181 +0.131}	∅290(H8)*11
18	TLX115D140H10D1	∅113.5~∅115	∅140 ^{+0.163 +0.113}	∅140(H8)*11	49	TLX270D295H10D1	∅268.5~∅270	∅295 ^{+0.181 +0.131}	∅295(H8)*11
19	TLX120D145H10D1	∅118.5~∅120	∅145 ^{+0.163 +0.113}	∅145(H8)*11	50	TLX275D300H10D1	∅273.5~∅275	∅300 ^{+0.181 +0.131}	∅300(H8)*11
20	TLX125D150H10D1	∅123.5~∅125	∅150 ^{+0.163 +0.113}	∅150(H8)*11	51	TLX280D305H10D1	∅278.5~∅280	∅305 ^{+0.181 +0.131}	∅305(H8)*11
21	TLX130D155H10D1	∅128.5~∅130	∅155 ^{+0.163 +0.113}	∅155(H8)*11	52	TLX285D310H10D1	∅283.5~∅285	∅310 ^{+0.181 +0.131}	∅310(H8)*11
22	TLX135D160H10D1	∅133.5~∅135	∅160 ^{+0.163 +0.113}	∅160(H8)*11	53	TLX290D315H10D1	∅288.5~∅290	∅315 ^{+0.181 +0.131}	∅315(H8)*11
23	TLX140D165H10D1	∅138.5~∅140	∅165 ^{+0.163 +0.113}	∅165(H8)*11	54	TLX295D320H10D1	∅293.5~∅295	∅320 ^{+0.189 +0.139}	∅320(H8)*11
24	TLX145D170H10D1	∅143.5~∅145	∅170 ^{+0.163 +0.113}	∅170(H8)*11	55	TLX300D325H10D1	∅298.5~∅300	∅325 ^{+0.189 +0.139}	∅325(H8)*11
25	TLX150D175H10D1	∅148.5~∅150	∅175 ^{+0.163 +0.113}	∅175(H8)*11	56	TLX305D330H10D1	∅303.5~∅305	∅330 ^{+0.189 +0.139}	∅330(H8)*11
26	TLX155D180H10D1	∅153.5~∅155	∅180 ^{+0.163 +0.113}	∅180(H8)*11	57	TLX310D335H10D1	∅308.5~∅310	∅335 ^{+0.189 +0.139}	∅335(H8)*11
27	TLX160D185H10D1	∅158.5~∅160	∅185 ^{+0.172 +0.122}	∅185(H8)*11	58	TLX315D340H10D1	∅313.5~∅315	∅340 ^{+0.189 +0.139}	∅340(H8)*11
28	TLX165D190H10D1	∅163.5~∅165	∅190 ^{+0.172 +0.122}	∅190(H8)*11	59	TLX320D345H10D1	∅318.5~∅320	∅345 ^{+0.189 +0.139}	∅345(H8)*11
29	TLX170D195H10D1	∅168.5~∅170	∅195 ^{+0.172 +0.122}	∅195(H8)*11	60	TLX325D350H10D1	∅323.5~∅325	∅350 ^{+0.189 +0.139}	∅350(H8)*11
30	TLX175D200H10D1	∅173.5~∅175	∅200 ^{+0.172 +0.122}	∅200(H8)*11	61	TLX330D355H10D1	∅328.5~∅330	∅355 ^{+0.189 +0.139}	∅355(H8)*11
31	TLX180D205H10D1	∅178.5~∅180	∅205 ^{+0.172 +0.122}	∅205(H8)*11					

b) 外径轴径差 25-双层毛刷

序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度	序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度
1	TLX30D55H12D2	ø28.5~ø30	ø55 ^{+0.146 +0.096}	ø55(H8)*13	32	TLX185D210H12D2	ø183.5~ø185	ø210 ^{+0.172 +0.122}	ø210(H8)*13
2	TLX35D60H12D2	ø33.5~ø35	ø60 ^{+0.146 +0.096}	ø60(H8)*13	33	TLX190D215H12D2	ø188.5~ø190	ø215 ^{+0.172 +0.122}	ø215(H8)*13
3	TLX40D65H12D2	ø38.5~ø40	ø65 ^{+0.146 +0.096}	ø65(H8)*13	34	TLX195D220H12D2	ø193.5~ø195	ø220 ^{+0.172 +0.122}	ø220(H8)*13
4	TLX45D70H12D2	ø43.5~ø45	ø70 ^{+0.146 +0.096}	ø70(H8)*13	35	TLX200D225H12D2	ø198.5~ø200	ø225 ^{+0.172 +0.122}	ø225(H8)*13
5	TLX50D75H12D2	ø48.5~ø50	ø75 ^{+0.146 +0.096}	ø75(H8)*13	36	TLX205D230H12D2	ø203.5~ø205	ø230 ^{+0.172 +0.122}	ø230(H8)*13
6	TLX55D80H12D2	ø53.5~ø55	ø80 ^{+0.146 +0.096}	ø80(H8)*13	37	TLX210D235H12D2	ø208.5~ø210	ø235 ^{+0.172 +0.122}	ø235(H8)*13
7	TLX60D85H12D2	ø58.5~ø60	ø85 ^{+0.154 +0.104}	ø85(H8)*13	38	TLX215D240H12D2	ø213.5~ø215	ø240 ^{+0.172 +0.122}	ø240(H8)*13
8	TLX65D90H12D2	ø63.5~ø65	ø90 ^{+0.154 +0.104}	ø90(H8)*13	39	TLX220D245H12D2	ø218.5~ø220	ø245 ^{+0.172 +0.122}	ø245(H8)*13
9	TLX70D95H12D2	ø68.5~ø70	ø95 ^{+0.154 +0.104}	ø95(H8)*13	40	TLX225D250H12D2	ø223.5~ø225	ø250 ^{+0.172 +0.122}	ø250(H8)*13
10	TLX75D100H12D2	ø73.5~ø75	ø100 ^{+0.154 +0.104}	ø100(H8)*13	41	TLX230D255H12D2	ø228.5~ø230	ø255 ^{+0.181 +0.131}	ø255(H8)*13
11	TLX80D105H12D2	ø78.5~ø80	ø105 ^{+0.154 +0.104}	ø105(H8)*13	42	TLX235D260H12D2	ø233.5~ø235	ø260 ^{+0.181 +0.131}	ø260(H8)*13
12	TLX85D110H12D2	ø83.5~ø85	ø110 ^{+0.154 +0.104}	ø110(H8)*13	43	TLX240D265H12D2	ø238.5~ø240	ø265 ^{+0.181 +0.131}	ø265(H8)*13
13	TLX90D115H12D2	ø88.5~ø90	ø115 ^{+0.154 +0.104}	ø115(H8)*13	44	TLX245D270H12D2	ø243.5~ø245	ø270 ^{+0.181 +0.131}	ø270(H8)*13
14	TLX95D120H12D2	ø93.5~ø95	ø120 ^{+0.154 +0.104}	ø120(H8)*13	45	TLX250D275H12D2	ø248.5~ø250	ø275 ^{+0.181 +0.131}	ø275(H8)*13
15	TLX100D125H12D2	ø98.5~ø100	ø125 ^{+0.163 +0.113}	ø125(H8)*13	46	TLX255D280H12D2	ø253.5~ø255	ø280 ^{+0.181 +0.131}	ø280(H8)*13
16	TLX105D130H12D2	ø103.5~ø105	ø130 ^{+0.163 +0.113}	ø130(H8)*13	47	TLX260D285H12D2	ø258.5~ø260	ø285 ^{+0.181 +0.131}	ø285(H8)*13
17	TLX110D135H12D2	ø108.5~ø110	ø135 ^{+0.163 +0.113}	ø135(H8)*13	48	TLX265D290H12D2	ø263.5~ø265	ø290 ^{+0.181 +0.131}	ø290(H8)*13
18	TLX115D140H12D2	ø113.5~ø115	ø140 ^{+0.163 +0.113}	ø140(H8)*13	49	TLX270D295H12D2	ø268.5~ø270	ø295 ^{+0.181 +0.131}	ø295(H8)*13
19	TLX120D145H12D2	ø118.5~ø120	ø145 ^{+0.163 +0.113}	ø145(H8)*13	50	TLX275D300H12D2	ø273.5~ø275	ø300 ^{+0.181 +0.131}	ø300(H8)*13
20	TLX125D150H12D2	ø123.5~ø125	ø150 ^{+0.163 +0.113}	ø150(H8)*13	51	TLX280D305H12D2	ø278.5~ø280	ø305 ^{+0.181 +0.131}	ø305(H8)*13
21	TLX130D155H12D2	ø128.5~ø130	ø155 ^{+0.163 +0.113}	ø155(H8)*13	52	TLX285D310H12D2	ø283.5~ø285	ø310 ^{+0.181 +0.131}	ø310(H8)*13
22	TLX135D160H12D2	ø133.5~ø135	ø160 ^{+0.163 +0.113}	ø160(H8)*13	53	TLX290D315H12D2	ø288.5~ø290	ø315 ^{+0.181 +0.131}	ø315(H8)*13
23	TLX140D165H12D2	ø138.5~ø140	ø165 ^{+0.163 +0.113}	ø165(H8)*13	54	TLX295D320H12D2	ø293.5~ø295	ø320 ^{+0.189 +0.139}	ø320(H8)*13
24	TLX145D170H12D2	ø143.5~ø145	ø170 ^{+0.163 +0.113}	ø170(H8)*13	55	TLX300D325H12D2	ø298.5~ø300	ø325 ^{+0.189 +0.139}	ø325(H8)*13
25	TLX150D175H12D2	ø148.5~ø150	ø175 ^{+0.163 +0.113}	ø175(H8)*13	56	TLX305D330H12D2	ø303.5~ø305	ø330 ^{+0.189 +0.139}	ø330(H8)*13
26	TLX155D180H12D2	ø153.5~ø155	ø180 ^{+0.163 +0.113}	ø180(H8)*13	57	TLX310D335H12D2	ø308.5~ø310	ø335 ^{+0.189 +0.139}	ø335(H8)*13
27	TLX160D185H12D2	ø158.5~ø160	ø185 ^{+0.172 +0.122}	ø185(H8)*13	58	TLX315D340H12D2	ø313.5~ø315	ø340 ^{+0.189 +0.139}	ø340(H8)*13
28	TLX165D190H12D2	ø163.5~ø165	ø190 ^{+0.172 +0.122}	ø190(H8)*13	59	TLX320D345H12D2	ø318.5~ø320	ø345 ^{+0.189 +0.139}	ø345(H8)*13
29	TLX170D195H12D2	ø168.5~ø170	ø195 ^{+0.172 +0.122}	ø195(H8)*13	60	TLX325D350H12D2	ø323.5~ø325	ø350 ^{+0.189 +0.139}	ø350(H8)*13
30	TLX175D200H12D2	ø173.5~ø175	ø200 ^{+0.172 +0.122}	ø200(H8)*13	61	TLX330D355H12D2	ø328.5~ø330	ø355 ^{+0.189 +0.139}	ø355(H8)*13
31	TLX180D205H12D2	ø178.5~ø180	ø205 ^{+0.172 +0.122}	ø205(H8)*13					

c) 外径轴径差 25-三层毛刷

序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度	序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度
1	TLX30D55H15D3	ø28.5~ø30	ø55 ^{+0.146 +0.096}	ø55(H8)*16	32	TLX185D210H15D3	ø183.5~ø185	ø210 ^{+0.172 +0.122}	ø210(H8)*16
2	TLX35D60H15D3	ø33.5~ø35	ø60 ^{+0.146 +0.096}	ø60(H8)*16	33	TLX190D215H15D3	ø188.5~ø190	ø215 ^{+0.172 +0.122}	ø215(H8)*16
3	TLX40D65H15D3	ø38.5~ø40	ø65 ^{+0.146 +0.096}	ø65(H8)*16	34	TLX195D220H15D3	ø193.5~ø195	ø220 ^{+0.172 +0.122}	ø220(H8)*16
4	TLX45D70H15D3	ø43.5~ø45	ø70 ^{+0.146 +0.096}	ø70(H8)*16	35	TLX200D225H15D3	ø198.5~ø200	ø225 ^{+0.172 +0.122}	ø225(H8)*16
5	TLX50D75H15D3	ø48.5~ø50	ø75 ^{+0.146 +0.096}	ø75(H8)*16	36	TLX205D230H15D3	ø203.5~ø205	ø230 ^{+0.172 +0.122}	ø230(H8)*16
6	TLX55D80H15D3	ø53.5~ø55	ø80 ^{+0.146 +0.096}	ø80(H8)*16	37	TLX210D235H15D3	ø208.5~ø210	ø235 ^{+0.172 +0.122}	ø235(H8)*16
7	TLX60D85H15D3	ø58.5~ø60	ø85 ^{+0.154 +0.104}	ø85(H8)*16	38	TLX215D240H15D3	ø213.5~ø215	ø240 ^{+0.172 +0.122}	ø240(H8)*16
8	TLX65D90H15D3	ø63.5~ø65	ø90 ^{+0.154 +0.104}	ø90(H8)*16	39	TLX220D245H15D3	ø218.5~ø220	ø245 ^{+0.172 +0.122}	ø245(H8)*16
9	TLX70D95H15D3	ø68.5~ø70	ø95 ^{+0.154 +0.104}	ø95(H8)*16	40	TLX225D250H15D3	ø223.5~ø225	ø250 ^{+0.172 +0.122}	ø250(H8)*16
10	TLX75D100H15D3	ø73.5~ø75	ø100 ^{+0.154 +0.104}	ø100(H8)*16	41	TLX230D255H15D3	ø228.5~ø230	ø255 ^{+0.181 +0.131}	ø255(H8)*16
11	TLX80D105H15D3	ø78.5~ø80	ø105 ^{+0.154 +0.104}	ø105(H8)*16	42	TLX235D260H15D3	ø233.5~ø235	ø260 ^{+0.181 +0.131}	ø260(H8)*16
12	TLX85D110H15D3	ø83.5~ø85	ø110 ^{+0.154 +0.104}	ø110(H8)*16	43	TLX240D265H15D3	ø238.5~ø240	ø265 ^{+0.181 +0.131}	ø265(H8)*16
13	TLX90D115H15D3	ø88.5~ø90	ø115 ^{+0.154 +0.104}	ø115(H8)*16	44	TLX245D270H15D3	ø243.5~ø245	ø270 ^{+0.181 +0.131}	ø270(H8)*16
14	TLX95D120H15D3	ø93.5~ø95	ø120 ^{+0.154 +0.104}	ø120(H8)*16	45	TLX250D275H15D3	ø248.5~ø250	ø275 ^{+0.181 +0.131}	ø275(H8)*16
15	TLX100D125H15D3	ø98.5~ø100	ø125 ^{+0.163 +0.113}	ø125(H8)*16	46	TLX255D280H15D3	ø253.5~ø255	ø280 ^{+0.181 +0.131}	ø280(H8)*16
16	TLX105D130H15D3	ø103.5~ø105	ø130 ^{+0.163 +0.113}	ø130(H8)*16	47	TLX260D285H15D3	ø258.5~ø260	ø285 ^{+0.181 +0.131}	ø285(H8)*16
17	TLX110D135H15D3	ø108.5~ø110	ø135 ^{+0.163 +0.113}	ø135(H8)*16	48	TLX265D290H15D3	ø263.5~ø265	ø290 ^{+0.181 +0.131}	ø290(H8)*16
18	TLX115D140H15D3	ø113.5~ø115	ø140 ^{+0.163 +0.113}	ø140(H8)*16	49	TLX270D295H15D3	ø268.5~ø270	ø295 ^{+0.181 +0.131}	ø295(H8)*16
19	TLX120D145H15D3	ø118.5~ø120	ø145 ^{+0.163 +0.113}	ø145(H8)*16	50	TLX275D300H15D3	ø273.5~ø275	ø300 ^{+0.181 +0.131}	ø300(H8)*16
20	TLX125D150H15D3	ø123.5~ø125	ø150 ^{+0.163 +0.113}	ø150(H8)*16	51	TLX280D305H15D3	ø278.5~ø280	ø305 ^{+0.181 +0.131}	ø305(H8)*16
21	TLX130D155H15D3	ø128.5~ø130	ø155 ^{+0.163 +0.113}	ø155(H8)*16	52	TLX285D310H15D3	ø283.5~ø285	ø310 ^{+0.181 +0.131}	ø310(H8)*16
22	TLX135D160H15D3	ø133.5~ø135	ø160 ^{+0.163 +0.113}	ø160(H8)*16	53	TLX290D315H15D3	ø288.5~ø290	ø315 ^{+0.181 +0.131}	ø315(H8)*16
23	TLX140D165H15D3	ø138.5~ø140	ø165 ^{+0.163 +0.113}	ø165(H8)*16	54	TLX295D320H15D3	ø293.5~ø295	ø320 ^{+0.189 +0.139}	ø320(H8)*16
24	TLX145D170H15D3	ø143.5~ø145	ø170 ^{+0.163 +0.113}	ø170(H8)*16	55	TLX300D325H15D3	ø298.5~ø300	ø325 ^{+0.189 +0.139}	ø325(H8)*16
25	TLX150D175H15D3	ø148.5~ø150	ø175 ^{+0.163 +0.113}	ø175(H8)*16	56	TLX305D330H15D3	ø303.5~ø305	ø330 ^{+0.189 +0.139}	ø330(H8)*16
26	TLX155D180H15D3	ø153.5~ø155	ø180 ^{+0.163 +0.113}	ø180(H8)*16	57	TLX310D335H15D3	ø308.5~ø310	ø335 ^{+0.189 +0.139}	ø335(H8)*16
27	TLX160D185H15D3	ø158.5~ø160	ø185 ^{+0.172 +0.122}	ø185(H8)*16	58	TLX315D340H15D3	ø313.5~ø315	ø340 ^{+0.189 +0.139}	ø340(H8)*16
28	TLX165D190H15D3	ø163.5~ø165	ø190 ^{+0.172 +0.122}	ø190(H8)*16	59	TLX320D345H15D3	ø318.5~ø320	ø345 ^{+0.189 +0.139}	ø345(H8)*16
29	TLX170D195H15D3	ø168.5~ø170	ø195 ^{+0.172 +0.122}	ø195(H8)*16	60	TLX325D350H15D3	ø323.5~ø325	ø350 ^{+0.189 +0.139}	ø350(H8)*16
30	TLX175D200H15D3	ø173.5~ø175	ø200 ^{+0.172 +0.122}	ø200(H8)*16	61	TLX330D355H15D3	ø328.5~ø330	ø355 ^{+0.189 +0.139}	ø355(H8)*16
31	TLX180D205H15D3	ø178.5~ø180	ø205 ^{+0.172 +0.122}	ø205(H8)*16					

d) 外径轴径差 25-四层毛刷

序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度	序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度
1	TLX30D55H16D4	ø28.5~ø30	ø55 +0.146 +0.096	ø55(H8)*17	32	TLX185D210H16D4	ø183.5~ø185	ø210 +0.172 +0.122	ø210(H8)*17
2	TLX35D60H16D4	ø33.5~ø35	ø60 +0.146 +0.096	ø60(H8)*17	33	TLX190D215H16D4	ø188.5~ø190	ø215 +0.172 +0.122	ø215(H8)*17
3	TLX40D65H16D4	ø38.5~ø40	ø65 +0.146 +0.096	ø65(H8)*17	34	TLX195D220H16D4	ø193.5~ø195	ø220 +0.172 +0.122	ø220(H8)*17
4	TLX45D70H16D4	ø43.5~ø45	ø70 +0.146 +0.096	ø70(H8)*17	35	TLX200D225H16D4	ø198.5~ø200	ø225 +0.172 +0.122	ø225(H8)*17
5	TLX50D75H16D4	ø48.5~ø50	ø75 +0.146 +0.096	ø75(H8)*17	36	TLX205D230H16D4	ø203.5~ø205	ø230 +0.172 +0.122	ø230(H8)*17
6	TLX55D80H16D4	ø53.5~ø55	ø80 +0.146 +0.096	ø80(H8)*17	37	TLX210D235H16D4	ø208.5~ø210	ø235 +0.172 +0.122	ø235(H8)*17
7	TLX60D85H16D4	ø58.5~ø60	ø85 +0.154 +0.104	ø85(H8)*17	38	TLX215D240H16D4	ø213.5~ø215	ø240 +0.172 +0.122	ø240(H8)*17
8	TLX65D90H16D4	ø63.5~ø65	ø90 +0.154 +0.104	ø90(H8)*17	39	TLX220D245H16D4	ø218.5~ø220	ø245 +0.172 +0.122	ø245(H8)*17
9	TLX70D95H16D4	ø68.5~ø70	ø95 +0.154 +0.104	ø95(H8)*17	40	TLX225D250H16D4	ø223.5~ø225	ø250 +0.172 +0.122	ø250(H8)*17
10	TLX75D100H16D4	ø73.5~ø75	ø100 +0.154 +0.104	ø100(H8)*17	41	TLX230D255H16D4	ø228.5~ø230	ø255 +0.181 +0.131	ø255(H8)*17
11	TLX80D105H16D4	ø78.5~ø80	ø105 +0.154 +0.104	ø105(H8)*17	42	TLX235D260H16D4	ø233.5~ø235	ø260 +0.181 +0.131	ø260(H8)*17
12	TLX85D110H16D4	ø83.5~ø85	ø110 +0.154 +0.104	ø110(H8)*17	43	TLX240D265H16D4	ø238.5~ø240	ø265 +0.181 +0.131	ø265(H8)*17
13	TLX90D115H16D4	ø88.5~ø90	ø115 +0.154 +0.104	ø115(H8)*17	44	TLX245D270H16D4	ø243.5~ø245	ø270 +0.181 +0.131	ø270(H8)*17
14	TLX95D120H16D4	ø93.5~ø95	ø120 +0.154 +0.104	ø120(H8)*17	45	TLX250D275H16D4	ø248.5~ø250	ø275 +0.181 +0.131	ø275(H8)*17
15	TLX100D125H16D4	ø98.5~ø100	ø125 +0.163 +0.113	ø125(H8)*17	46	TLX255D280H16D4	ø253.5~ø255	ø280 +0.181 +0.131	ø280(H8)*17
16	TLX105D130H16D4	ø103.5~ø105	ø130 +0.163 +0.113	ø130(H8)*17	47	TLX260D285H16D4	ø258.5~ø260	ø285 +0.181 +0.131	ø285(H8)*17
17	TLX110D135H16D4	ø108.5~ø110	ø135 +0.163 +0.113	ø135(H8)*17	48	TLX265D290H16D4	ø263.5~ø265	ø290 +0.181 +0.131	ø290(H8)*17
18	TLX115D140H16D4	ø113.5~ø115	ø140 +0.163 +0.113	ø140(H8)*17	49	TLX270D295H16D4	ø268.5~ø270	ø295 +0.181 +0.131	ø295(H8)*17
19	TLX120D145H16D4	ø118.5~ø120	ø145 +0.163 +0.113	ø145(H8)*17	50	TLX275D300H16D4	ø273.5~ø275	ø300 +0.181 +0.131	ø300(H8)*17
20	TLX125D150H16D4	ø123.5~ø125	ø150 +0.163 +0.113	ø150(H8)*17	51	TLX280D305H16D4	ø278.5~ø280	ø305 +0.181 +0.131	ø305(H8)*17
21	TLX130D155H16D4	ø128.5~ø130	ø155 +0.163 +0.113	ø155(H8)*17	52	TLX285D310H16D4	ø283.5~ø285	ø310 +0.181 +0.131	ø310(H8)*17
22	TLX135D160H16D4	ø133.5~ø135	ø160 +0.163 +0.113	ø160(H8)*17	53	TLX290D315H16D4	ø288.5~ø290	ø315 +0.181 +0.131	ø315(H8)*17
23	TLX140D165H16D4	ø138.5~ø140	ø165 +0.163 +0.113	ø165(H8)*17	54	TLX295D320H16D4	ø293.5~ø295	ø320 +0.189 +0.139	ø320(H8)*17
24	TLX145D170H16D4	ø143.5~ø145	ø170 +0.163 +0.113	ø170(H8)*17	55	TLX300D325H16D4	ø298.5~ø300	ø325 +0.189 +0.139	ø325(H8)*17
25	TLX150D175H16D4	ø148.5~ø150	ø175 +0.163 +0.113	ø175(H8)*17	56	TLX305D330H16D4	ø303.5~ø305	ø330 +0.189 +0.139	ø330(H8)*17
26	TLX155D180H16D4	ø153.5~ø155	ø180 +0.163 +0.113	ø180(H8)*17	57	TLX310D335H16D4	ø308.5~ø310	ø335 +0.189 +0.139	ø335(H8)*17
27	TLX160D185H16D4	ø158.5~ø160	ø185 +0.172 +0.122	ø185(H8)*17	58	TLX315D340H16D4	ø313.5~ø315	ø340 +0.189 +0.139	ø340(H8)*17
28	TLX165D190H16D4	ø163.5~ø165	ø190 +0.172 +0.122	ø190(H8)*17	59	TLX320D345H16D4	ø318.5~ø320	ø345 +0.189 +0.139	ø345(H8)*17
29	TLX170D195H16D4	ø168.5~ø170	ø195 +0.172 +0.122	ø195(H8)*17	60	TLX325D350H16D4	ø323.5~ø325	ø350 +0.189 +0.139	ø350(H8)*17
30	TLX175D200H16D4	ø173.5~ø175	ø200 +0.172 +0.122	ø200(H8)*17	61	TLX330D355H16D4	ø328.5~ø330	ø355 +0.189 +0.139	ø355(H8)*17
31	TLX180D205H16D4	ø178.5~ø180	ø205 +0.172 +0.122	ø205(H8)*17					

e) 外径轴径差 30-单层毛刷

序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度	序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度
1	TLX30D60H10D1	ø28.5~ø30	ø60 ^{+0.146 +0.096}	ø60(H8)*11	32	TLX185D215H10D1	ø183.5~ø185	ø215 ^{+0.172 +0.122}	ø215(H8)*11
2	TLX35D65H10D1	ø33.5~ø35	ø65 ^{+0.146 +0.096}	ø65(H8)*11	33	TLX190D220H10D1	ø188.5~ø190	ø220 ^{+0.172 +0.122}	ø220(H8)*11
3	TLX40D70H10D1	ø38.5~ø40	ø70 ^{+0.146 +0.096}	ø70(H8)*11	34	TLX195D225H10D1	ø193.5~ø195	ø225 ^{+0.172 +0.122}	ø225(H8)*11
4	TLX45D75H10D1	ø43.5~ø45	ø75 ^{+0.146 +0.096}	ø75(H8)*11	35	TLX200D230H10D1	ø198.5~ø200	ø230 ^{+0.172 +0.122}	ø230(H8)*11
5	TLX50D80H10D1	ø48.5~ø50	ø80 ^{+0.146 +0.096}	ø80(H8)*11	36	TLX205D235H10D1	ø203.5~ø205	ø235 ^{+0.172 +0.122}	ø235(H8)*11
6	TLX55D85H10D1	ø53.5~ø55	ø85 ^{+0.154 +0.104}	ø85(H8)*11	37	TLX210D240H10D1	ø208.5~ø210	ø240 ^{+0.172 +0.122}	ø240(H8)*11
7	TLX60D90H10D1	ø58.5~ø60	ø90 ^{+0.154 +0.104}	ø90(H8)*11	38	TLX215D245H10D1	ø213.5~ø215	ø245 ^{+0.172 +0.122}	ø245(H8)*11
8	TLX65D95H10D1	ø63.5~ø65	ø95 ^{+0.154 +0.104}	ø95(H8)*11	39	TLX220D250H10D1	ø218.5~ø220	ø250 ^{+0.172 +0.122}	ø250(H8)*11
9	TLX70D100H10D1	ø68.5~ø70	ø100 ^{+0.154 +0.104}	ø100(H8)*11	40	TLX225D255H10D1	ø223.5~ø225	ø255 ^{+0.181 +0.131}	ø255(H8)*11
10	TLX75D105H10D1	ø73.5~ø75	ø105 ^{+0.154 +0.104}	ø105(H8)*11	41	TLX230D260H10D1	ø228.5~ø230	ø260 ^{+0.181 +0.131}	ø260(H8)*11
11	TLX80D110H10D1	ø78.5~ø80	ø110 ^{+0.154 +0.104}	ø110(H8)*11	42	TLX235D265H10D1	ø233.5~ø235	ø265 ^{+0.181 +0.131}	ø265(H8)*11
12	TLX85D115H10D1	ø83.5~ø85	ø115 ^{+0.154 +0.104}	ø115(H8)*11	43	TLX240D270H10D1	ø238.5~ø240	ø270 ^{+0.181 +0.131}	ø270(H8)*11
13	TLX90D120H10D1	ø88.5~ø90	ø120 ^{+0.154 +0.104}	ø120(H8)*11	44	TLX245D275H10D1	ø243.5~ø245	ø275 ^{+0.181 +0.131}	ø275(H8)*11
14	TLX95D125H10D1	ø93.5~ø95	ø125 ^{+0.163 +0.113}	ø125(H8)*11	45	TLX250D280H10D1	ø248.5~ø250	ø280 ^{+0.181 +0.131}	ø280(H8)*11
15	TLX100D130H10D1	ø98.5~ø100	ø130 ^{+0.163 +0.113}	ø130(H8)*11	46	TLX255D285H10D1	ø253.5~ø255	ø285 ^{+0.181 +0.131}	ø285(H8)*11
16	TLX105D135H10D1	ø103.5~ø105	ø135 ^{+0.163 +0.113}	ø135(H8)*11	47	TLX260D290H10D1	ø258.5~ø260	ø290 ^{+0.181 +0.131}	ø290(H8)*11
17	TLX110D140H10D1	ø108.5~ø110	ø140 ^{+0.163 +0.113}	ø140(H8)*11	48	TLX265D295H10D1	ø263.5~ø265	ø295 ^{+0.181 +0.131}	ø295(H8)*11
18	TLX115D145H10D1	ø113.5~ø115	ø145 ^{+0.163 +0.113}	ø145(H8)*11	49	TLX270D300H10D1	ø268.5~ø270	ø300 ^{+0.181 +0.131}	ø300(H8)*11
19	TLX120D150H10D1	ø118.5~ø120	ø150 ^{+0.163 +0.113}	ø150(H8)*11	50	TLX275D305H10D1	ø273.5~ø275	ø305 ^{+0.181 +0.131}	ø305(H8)*11
20	TLX125D155H10D1	ø123.5~ø125	ø155 ^{+0.163 +0.113}	ø155(H8)*11	51	TLX280D310H10D1	ø278.5~ø280	ø310 ^{+0.181 +0.131}	ø310(H8)*11
21	TLX130D160H10D1	ø128.5~ø130	ø160 ^{+0.163 +0.113}	ø160(H8)*11	52	TLX285D315H10D1	ø283.5~ø285	ø315 ^{+0.181 +0.131}	ø315(H8)*11
22	TLX135D165H10D1	ø133.5~ø135	ø165 ^{+0.163 +0.113}	ø165(H8)*11	53	TLX290D320H10D1	ø288.5~ø290	ø320 ^{+0.189 +0.139}	ø320(H8)*11
23	TLX140D170H10D1	ø138.5~ø140	ø170 ^{+0.163 +0.113}	ø170(H8)*11	54	TLX295D325H10D1	ø293.5~ø295	ø325 ^{+0.189 +0.139}	ø325(H8)*11
24	TLX145D175H10D1	ø143.5~ø145	ø175 ^{+0.163 +0.113}	ø175(H8)*11	55	TLX300D330H10D1	ø298.5~ø300	ø330 ^{+0.189 +0.139}	ø330(H8)*11
25	TLX150D180H10D1	ø148.5~ø150	ø180 ^{+0.163 +0.113}	ø180(H8)*11	56	TLX305D335H10D1	ø303.5~ø305	ø335 ^{+0.189 +0.139}	ø335(H8)*11
26	TLX155D185H10D1	ø153.5~ø155	ø185 ^{+0.172 +0.122}	ø185(H8)*11	57	TLX310D340H10D1	ø308.5~ø310	ø340 ^{+0.189 +0.139}	ø340(H8)*11
27	TLX160D190H10D1	ø158.5~ø160	ø190 ^{+0.172 +0.122}	ø190(H8)*11	58	TLX315D345H10D1	ø313.5~ø315	ø345 ^{+0.189 +0.139}	ø345(H8)*11
28	TLX165D195H10D1	ø163.5~ø165	ø195 ^{+0.172 +0.122}	ø195(H8)*11	59	TLX320D350H10D1	ø318.5~ø320	ø350 ^{+0.189 +0.139}	ø350(H8)*11
29	TLX170D200H10D1	ø168.5~ø170	ø200 ^{+0.172 +0.122}	ø200(H8)*11	60	TLX325D355H10D1	ø323.5~ø325	ø355 ^{+0.189 +0.139}	ø355(H8)*11
30	TLX175D205H10D1	ø173.5~ø175	ø205 ^{+0.172 +0.122}	ø205(H8)*11	61	TLX330D360H10D1	ø328.5~ø330	ø360 ^{+0.189 +0.139}	ø360(H8)*11
31	TLX180D210H10D1	ø178.5~ø180	ø210 ^{+0.172 +0.122}	ø210(H8)*11					

f) 外径轴径差 30-双层毛刷

序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度	序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度
1	TLX30D60H12D2	ø28.5~ø30	ø60 ^{+0.146 +0.096}	ø60(H8)*13	32	TLX185D215H12D2	ø183.5~ø185	ø215 ^{+0.172 +0.122}	ø215(H8)*13
2	TLX35D65H12D2	ø33.5~ø35	ø65 ^{+0.146 +0.096}	ø65(H8)*13	33	TLX190D220H12D2	ø188.5~ø190	ø220 ^{+0.172 +0.122}	ø220(H8)*13
3	TLX40D70H12D2	ø38.5~ø40	ø70 ^{+0.146 +0.096}	ø70(H8)*13	34	TLX195D225H12D2	ø193.5~ø195	ø225 ^{+0.172 +0.122}	ø225(H8)*13
4	TLX45D75H12D2	ø43.5~ø45	ø75 ^{+0.146 +0.096}	ø75(H8)*13	35	TLX200D230H12D2	ø198.5~ø200	ø230 ^{+0.172 +0.122}	ø230(H8)*13
5	TLX50D80H12D2	ø48.5~ø50	ø80 ^{+0.146 +0.096}	ø80(H8)*13	36	TLX205D235H12D2	ø203.5~ø205	ø235 ^{+0.172 +0.122}	ø235(H8)*13
6	TLX55D85H12D2	ø53.5~ø55	ø85 ^{+0.154 +0.104}	ø85(H8)*13	37	TLX210D240H12D2	ø208.5~ø210	ø240 ^{+0.172 +0.122}	ø240(H8)*13
7	TLX60D90H12D2	ø58.5~ø60	ø90 ^{+0.154 +0.104}	ø90(H8)*13	38	TLX215D245H12D2	ø213.5~ø215	ø245 ^{+0.172 +0.122}	ø245(H8)*13
8	TLX65D95H12D2	ø63.5~ø65	ø95 ^{+0.154 +0.104}	ø95(H8)*13	39	TLX220D250H12D2	ø218.5~ø220	ø250 ^{+0.172 +0.122}	ø250(H8)*13
9	TLX70D100H12D2	ø68.5~ø70	ø100 ^{+0.154 +0.104}	ø100(H8)*13	40	TLX225D255H12D2	ø223.5~ø225	ø255 ^{+0.181 +0.131}	ø255(H8)*13
10	TLX75D105H12D2	ø73.5~ø75	ø105 ^{+0.154 +0.104}	ø105(H8)*13	41	TLX230D260H12D2	ø228.5~ø230	ø260 ^{+0.181 +0.131}	ø260(H8)*13
11	TLX80D110H12D2	ø78.5~ø80	ø110 ^{+0.154 +0.104}	ø110(H8)*13	42	TLX235D265H12D2	ø233.5~ø235	ø265 ^{+0.181 +0.131}	ø265(H8)*13
12	TLX85D115H12D2	ø83.5~ø85	ø115 ^{+0.154 +0.104}	ø115(H8)*13	43	TLX240D270H12D2	ø238.5~ø240	ø270 ^{+0.181 +0.131}	ø270(H8)*13
13	TLX90D120H12D2	ø88.5~ø90	ø120 ^{+0.154 +0.104}	ø120(H8)*13	44	TLX245D275H12D2	ø243.5~ø245	ø275 ^{+0.181 +0.131}	ø275(H8)*13
14	TLX95D125H12D2	ø93.5~ø95	ø125 ^{+0.163 +0.113}	ø125(H8)*13	45	TLX250D280H12D2	ø248.5~ø250	ø280 ^{+0.181 +0.131}	ø280(H8)*13
15	TLX100D130H12D2	ø98.5~ø100	ø130 ^{+0.163 +0.113}	ø130(H8)*13	46	TLX255D285H12D2	ø253.5~ø255	ø285 ^{+0.181 +0.131}	ø285(H8)*13
16	TLX105D135H12D2	ø103.5~ø105	ø135 ^{+0.163 +0.113}	ø135(H8)*13	47	TLX260D290H12D2	ø258.5~ø260	ø290 ^{+0.181 +0.131}	ø290(H8)*13
17	TLX110D140H12D2	ø108.5~ø110	ø140 ^{+0.163 +0.113}	ø140(H8)*13	48	TLX265D295H12D2	ø263.5~ø265	ø295 ^{+0.181 +0.131}	ø295(H8)*13
18	TLX115D145H12D2	ø113.5~ø115	ø145 ^{+0.163 +0.113}	ø145(H8)*13	49	TLX270D300H12D2	ø268.5~ø270	ø300 ^{+0.181 +0.131}	ø300(H8)*13
19	TLX120D150H12D2	ø118.5~ø120	ø150 ^{+0.163 +0.113}	ø150(H8)*13	50	TLX275D305H12D2	ø273.5~ø275	ø305 ^{+0.181 +0.131}	ø305(H8)*13
20	TLX125D155H12D2	ø123.5~ø125	ø155 ^{+0.163 +0.113}	ø155(H8)*13	51	TLX280D310H12D2	ø278.5~ø280	ø310 ^{+0.181 +0.131}	ø310(H8)*13
21	TLX130D160H12D2	ø128.5~ø130	ø160 ^{+0.163 +0.113}	ø160(H8)*13	52	TLX285D315H12D2	ø283.5~ø285	ø315 ^{+0.181 +0.131}	ø315(H8)*13
22	TLX135D165H12D2	ø133.5~ø135	ø165 ^{+0.163 +0.113}	ø165(H8)*13	53	TLX290D320H12D2	ø288.5~ø290	ø320 ^{+0.189 +0.139}	ø320(H8)*13
23	TLX140D170H12D2	ø138.5~ø140	ø170 ^{+0.163 +0.113}	ø170(H8)*13	54	TLX295D325H12D2	ø293.5~ø295	ø325 ^{+0.189 +0.139}	ø325(H8)*13
24	TLX145D175H12D2	ø143.5~ø145	ø175 ^{+0.163 +0.113}	ø175(H8)*13	55	TLX300D330H12D2	ø298.5~ø300	ø330 ^{+0.189 +0.139}	ø330(H8)*13
25	TLX150D180H12D2	ø148.5~ø150	ø180 ^{+0.163 +0.113}	ø180(H8)*13	56	TLX305D335H12D2	ø303.5~ø305	ø335 ^{+0.189 +0.139}	ø335(H8)*13
26	TLX155D185H12D2	ø153.5~ø155	ø185 ^{+0.172 +0.122}	ø185(H8)*13	57	TLX310D340H12D2	ø308.5~ø310	ø340 ^{+0.189 +0.139}	ø340(H8)*13
27	TLX160D190H12D2	ø158.5~ø160	ø190 ^{+0.172 +0.122}	ø190(H8)*13	58	TLX315D345H12D2	ø313.5~ø315	ø345 ^{+0.189 +0.139}	ø345(H8)*13
28	TLX165D195H12D2	ø163.5~ø165	ø195 ^{+0.172 +0.122}	ø195(H8)*13	59	TLX320D350H12D2	ø318.5~ø320	ø350 ^{+0.189 +0.139}	ø350(H8)*13
29	TLX170D200H12D2	ø168.5~ø170	ø200 ^{+0.172 +0.122}	ø200(H8)*13	60	TLX325D355H12D2	ø323.5~ø325	ø355 ^{+0.189 +0.139}	ø355(H8)*13
30	TLX175D205H12D2	ø173.5~ø175	ø205 ^{+0.172 +0.122}	ø205(H8)*13	61	TLX330D360H12D2	ø328.5~ø330	ø360 ^{+0.189 +0.139}	ø360(H8)*13
31	TLX180D210H12D2	ø178.5~ø180	ø210 ^{+0.172 +0.122}	ø210(H8)*13					

g) 外径轴径差 30-三层毛刷

序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度	序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度
1	TLX30D60H15D3	ø28.5~ø30	ø60 ^{+0.146 +0.096}	ø60(H8)*16	32	TLX185D215H15D3	ø183.5~ø185	ø215 ^{+0.172 +0.122}	ø215(H8)*16
2	TLX35D65H15D3	ø33.5~ø35	ø65 ^{+0.146 +0.096}	ø65(H8)*16	33	TLX190D220H15D3	ø188.5~ø190	ø220 ^{+0.172 +0.122}	ø220(H8)*16
3	TLX40D70H15D3	ø38.5~ø40	ø70 ^{+0.146 +0.096}	ø70(H8)*16	34	TLX195D225H15D3	ø193.5~ø195	ø225 ^{+0.172 +0.122}	ø225(H8)*16
4	TLX45D75H15D3	ø43.5~ø45	ø75 ^{+0.146 +0.096}	ø75(H8)*16	35	TLX200D230H15D3	ø198.5~ø200	ø230 ^{+0.172 +0.122}	ø230(H8)*16
5	TLX50D80H15D3	ø48.5~ø50	ø80 ^{+0.146 +0.096}	ø80(H8)*16	36	TLX205D235H15D3	ø203.5~ø205	ø235 ^{+0.172 +0.122}	ø235(H8)*16
6	TLX55D85H15D3	ø53.5~ø55	ø85 ^{+0.154 +0.104}	ø85(H8)*16	37	TLX210D240H15D3	ø208.5~ø210	ø240 ^{+0.172 +0.122}	ø240(H8)*16
7	TLX60D90H15D3	ø58.5~ø60	ø90 ^{+0.154 +0.104}	ø90(H8)*16	38	TLX215D245H15D3	ø213.5~ø215	ø245 ^{+0.172 +0.122}	ø245(H8)*16
8	TLX65D95H15D3	ø63.5~ø65	ø95 ^{+0.154 +0.104}	ø95(H8)*16	39	TLX220D250H15D3	ø218.5~ø220	ø250 ^{+0.172 +0.122}	ø250(H8)*16
9	TLX70D100H15D3	ø68.5~ø70	ø100 ^{+0.154 +0.104}	ø100(H8)*16	40	TLX225D255H15D3	ø223.5~ø225	ø255 ^{+0.181 +0.131}	ø255(H8)*16
10	TLX75D105H15D3	ø73.5~ø75	ø105 ^{+0.154 +0.104}	ø105(H8)*16	41	TLX230D260H15D3	ø228.5~ø230	ø260 ^{+0.181 +0.131}	ø260(H8)*16
11	TLX80D110H15D3	ø78.5~ø80	ø110 ^{+0.154 +0.104}	ø110(H8)*16	42	TLX235D265H15D3	ø233.5~ø235	ø265 ^{+0.181 +0.131}	ø265(H8)*16
12	TLX85D115H15D3	ø83.5~ø85	ø115 ^{+0.154 +0.104}	ø115(H8)*16	43	TLX240D270H15D3	ø238.5~ø240	ø270 ^{+0.181 +0.131}	ø270(H8)*16
13	TLX90D120H15D3	ø88.5~ø90	ø120 ^{+0.154 +0.104}	ø120(H8)*16	44	TLX245D275H15D3	ø243.5~ø245	ø275 ^{+0.181 +0.131}	ø275(H8)*16
14	TLX95D125H15D3	ø93.5~ø95	ø125 ^{+0.163 +0.113}	ø125(H8)*16	45	TLX250D280H15D3	ø248.5~ø250	ø280 ^{+0.181 +0.131}	ø280(H8)*16
15	TLX100D130H15D3	ø98.5~ø100	ø130 ^{+0.163 +0.113}	ø130(H8)*16	46	TLX255D285H15D3	ø253.5~ø255	ø285 ^{+0.181 +0.131}	ø285(H8)*16
16	TLX105D135H15D3	ø103.5~ø105	ø135 ^{+0.163 +0.113}	ø135(H8)*16	47	TLX260D290H15D3	ø258.5~ø260	ø290 ^{+0.181 +0.131}	ø290(H8)*16
17	TLX110D140H15D3	ø108.5~ø110	ø140 ^{+0.163 +0.113}	ø140(H8)*16	48	TLX265D295H15D3	ø263.5~ø265	ø295 ^{+0.181 +0.131}	ø295(H8)*16
18	TLX115D145H15D3	ø113.5~ø115	ø145 ^{+0.163 +0.113}	ø145(H8)*16	49	TLX270D300H15D3	ø268.5~ø270	ø300 ^{+0.181 +0.131}	ø300(H8)*16
19	TLX120D150H15D3	ø118.5~ø120	ø150 ^{+0.163 +0.113}	ø150(H8)*16	50	TLX275D305H15D3	ø273.5~ø275	ø305 ^{+0.181 +0.131}	ø305(H8)*16
20	TLX125D155H15D3	ø123.5~ø125	ø155 ^{+0.163 +0.113}	ø155(H8)*16	51	TLX280D310H15D3	ø278.5~ø280	ø310 ^{+0.181 +0.131}	ø310(H8)*16
21	TLX130D160H15D3	ø128.5~ø130	ø160 ^{+0.163 +0.113}	ø160(H8)*16	52	TLX285D315H15D3	ø283.5~ø285	ø315 ^{+0.181 +0.131}	ø315(H8)*16
22	TLX135D165H15D3	ø133.5~ø135	ø165 ^{+0.163 +0.113}	ø165(H8)*16	53	TLX290D320H15D3	ø288.5~ø290	ø320 ^{+0.189 +0.139}	ø320(H8)*16
23	TLX140D170H15D3	ø138.5~ø140	ø170 ^{+0.163 +0.113}	ø170(H8)*16	54	TLX295D325H15D3	ø293.5~ø295	ø325 ^{+0.189 +0.139}	ø325(H8)*16
24	TLX145D175H15D3	ø143.5~ø145	ø175 ^{+0.163 +0.113}	ø175(H8)*16	55	TLX300D330H15D3	ø298.5~ø300	ø330 ^{+0.189 +0.139}	ø330(H8)*16
25	TLX150D180H15D3	ø148.5~ø150	ø180 ^{+0.163 +0.113}	ø180(H8)*16	56	TLX305D335H15D3	ø303.5~ø305	ø335 ^{+0.189 +0.139}	ø335(H8)*16
26	TLX155D185H15D3	ø153.5~ø155	ø185 ^{+0.172 +0.122}	ø185(H8)*16	57	TLX310D340H15D3	ø308.5~ø310	ø340 ^{+0.189 +0.139}	ø340(H8)*16
27	TLX160D190H15D3	ø158.5~ø160	ø190 ^{+0.172 +0.122}	ø190(H8)*16	58	TLX315D345H15D3	ø313.5~ø315	ø345 ^{+0.189 +0.139}	ø345(H8)*16
28	TLX165D195H15D3	ø163.5~ø165	ø195 ^{+0.172 +0.122}	ø195(H8)*16	59	TLX320D350H15D3	ø318.5~ø320	ø350 ^{+0.189 +0.139}	ø350(H8)*16
29	TLX170D200H15D3	ø168.5~ø170	ø200 ^{+0.172 +0.122}	ø200(H8)*16	60	TLX325D355H15D3	ø323.5~ø325	ø355 ^{+0.189 +0.139}	ø355(H8)*16
30	TLX175D205H15D3	ø173.5~ø175	ø205 ^{+0.172 +0.122}	ø205(H8)*16	61	TLX330D360H15D3	ø328.5~ø330	ø360 ^{+0.189 +0.139}	ø360(H8)*16
31	TLX180D210H15D3	ø178.5~ø180	ø210 ^{+0.172 +0.122}	ø210(H8)*16					

h) 外径轴径差 30-四层毛刷

序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度	序号	型号	适配 轴径	导电环 外径	端盖安装孔 内径*深度
1	TLX30D60H16D4	∅28.5~∅30	∅60 ^{+0.146 +0.096}	∅60(H8)*17	32	TLX185D215H16D4	∅183.5~∅185	∅215 ^{+0.172 +0.122}	∅215(H8)*17
2	TLX35D65H16D4	∅33.5~∅35	∅65 ^{+0.146 +0.096}	∅65(H8)*17	33	TLX190D220H16D4	∅188.5~∅190	∅220 ^{+0.172 +0.122}	∅220(H8)*17
3	TLX40D70H16D4	∅38.5~∅40	∅70 ^{+0.146 +0.096}	∅70(H8)*17	34	TLX195D225H16D4	∅193.5~∅195	∅225 ^{+0.172 +0.122}	∅225(H8)*17
4	TLX45D75H16D4	∅43.5~∅45	∅75 ^{+0.146 +0.096}	∅75(H8)*17	35	TLX200D230H16D4	∅198.5~∅200	∅230 ^{+0.172 +0.122}	∅230(H8)*17
5	TLX50D80H16D4	∅48.5~∅50	∅80 ^{+0.146 +0.096}	∅80(H8)*17	36	TLX205D235H16D4	∅203.5~∅205	∅235 ^{+0.172 +0.122}	∅235(H8)*17
6	TLX55D85H16D4	∅53.5~∅55	∅85 ^{+0.154 +0.104}	∅85(H8)*17	37	TLX210D240H16D4	∅208.5~∅210	∅240 ^{+0.172 +0.122}	∅240(H8)*17
7	TLX60D90H16D4	∅58.5~∅60	∅90 ^{+0.154 +0.104}	∅90(H8)*17	38	TLX215D245H16D4	∅213.5~∅215	∅245 ^{+0.172 +0.122}	∅245(H8)*17
8	TLX65D95H16D4	∅63.5~∅65	∅95 ^{+0.154 +0.104}	∅95(H8)*17	39	TLX220D250H16D4	∅218.5~∅220	∅250 ^{+0.172 +0.122}	∅250(H8)*17
9	TLX70D100H16D4	∅68.5~∅70	∅100 ^{+0.154 +0.104}	∅100(H8)*17	40	TLX225D255H16D4	∅223.5~∅225	∅255 ^{+0.181 +0.131}	∅255(H8)*17
10	TLX75D105H16D4	∅73.5~∅75	∅105 ^{+0.154 +0.104}	∅105(H8)*17	41	TLX230D260H16D4	∅228.5~∅230	∅260 ^{+0.181 +0.131}	∅260(H8)*17
11	TLX80D110H16D4	∅78.5~∅80	∅110 ^{+0.154 +0.104}	∅110(H8)*17	42	TLX235D265H16D4	∅233.5~∅235	∅265 ^{+0.181 +0.131}	∅265(H8)*17
12	TLX85D115H16D4	∅83.5~∅85	∅115 ^{+0.154 +0.104}	∅115(H8)*17	43	TLX240D270H16D4	∅238.5~∅240	∅270 ^{+0.181 +0.131}	∅270(H8)*17
13	TLX90D120H16D4	∅88.5~∅90	∅120 ^{+0.154 +0.104}	∅120(H8)*17	44	TLX245D275H16D4	∅243.5~∅245	∅275 ^{+0.181 +0.131}	∅275(H8)*17
14	TLX95D125H16D4	∅93.5~∅95	∅125 ^{+0.163 +0.113}	∅125(H8)*17	45	TLX250D280H16D4	∅248.5~∅250	∅280 ^{+0.181 +0.131}	∅280(H8)*17
15	TLX100D130H16D4	∅98.5~∅100	∅130 ^{+0.163 +0.113}	∅130(H8)*17	46	TLX255D285H16D4	∅253.5~∅255	∅285 ^{+0.181 +0.131}	∅285(H8)*17
16	TLX105D135H16D4	∅103.5~∅105	∅135 ^{+0.163 +0.113}	∅135(H8)*17	47	TLX260D290H16D4	∅258.5~∅260	∅290 ^{+0.181 +0.131}	∅290(H8)*17
17	TLX110D140H16D4	∅108.5~∅110	∅140 ^{+0.163 +0.113}	∅140(H8)*17	48	TLX265D295H16D4	∅263.5~∅265	∅295 ^{+0.181 +0.131}	∅295(H8)*17
18	TLX115D145H16D4	∅113.5~∅115	∅145 ^{+0.163 +0.113}	∅145(H8)*17	49	TLX270D300H16D4	∅268.5~∅270	∅300 ^{+0.181 +0.131}	∅300(H8)*17
19	TLX120D150H16D4	∅118.5~∅120	∅150 ^{+0.163 +0.113}	∅150(H8)*17	50	TLX275D305H16D4	∅273.5~∅275	∅305 ^{+0.181 +0.131}	∅305(H8)*17
20	TLX125D155H16D4	∅123.5~∅125	∅155 ^{+0.163 +0.113}	∅155(H8)*17	51	TLX280D310H16D4	∅278.5~∅280	∅310 ^{+0.181 +0.131}	∅310(H8)*17
21	TLX130D160H16D4	∅128.5~∅130	∅160 ^{+0.163 +0.113}	∅160(H8)*17	52	TLX285D315H16D4	∅283.5~∅285	∅315 ^{+0.181 +0.131}	∅315(H8)*17
22	TLX135D165H16D4	∅133.5~∅135	∅165 ^{+0.163 +0.113}	∅165(H8)*17	53	TLX290D320H16D4	∅288.5~∅290	∅320 ^{+0.189 +0.139}	∅320(H8)*17
23	TLX140D170H16D4	∅138.5~∅140	∅170 ^{+0.163 +0.113}	∅170(H8)*17	54	TLX295D325H16D4	∅293.5~∅295	∅325 ^{+0.189 +0.139}	∅325(H8)*17
24	TLX145D175H16D4	∅143.5~∅145	∅175 ^{+0.163 +0.113}	∅175(H8)*17	55	TLX300D330H16D4	∅298.5~∅300	∅330 ^{+0.189 +0.139}	∅330(H8)*17
25	TLX150D180H16D4	∅148.5~∅150	∅180 ^{+0.163 +0.113}	∅180(H8)*17	56	TLX305D335H16D4	∅303.5~∅305	∅335 ^{+0.189 +0.139}	∅335(H8)*17
26	TLX155D185H16D4	∅153.5~∅155	∅185 ^{+0.172 +0.122}	∅185(H8)*17	57	TLX310D340H16D4	∅308.5~∅310	∅340 ^{+0.189 +0.139}	∅340(H8)*17
27	TLX160D190H16D4	∅158.5~∅160	∅190 ^{+0.172 +0.122}	∅190(H8)*17	58	TLX315D345H16D4	∅313.5~∅315	∅345 ^{+0.189 +0.139}	∅345(H8)*17
28	TLX165D195H16D4	∅163.5~∅165	∅195 ^{+0.172 +0.122}	∅195(H8)*17	59	TLX320D350H16D4	∅318.5~∅320	∅350 ^{+0.189 +0.139}	∅350(H8)*17
29	TLX170D200H16D4	∅168.5~∅170	∅200 ^{+0.172 +0.122}	∅200(H8)*17	60	TLX325D355H16D4	∅323.5~∅325	∅355 ^{+0.189 +0.139}	∅355(H8)*17
30	TLX175D205H16D4	∅173.5~∅175	∅205 ^{+0.172 +0.122}	∅205(H8)*17	61	TLX330D360H16D4	∅328.5~∅330	∅360 ^{+0.189 +0.139}	∅360(H8)*17
31	TLX180D210H16D4	∅178.5~∅180	∅210 ^{+0.172 +0.122}	∅210(H8)*17					