


端面安装式分体导电环

1.1 示意图



1.2 适用场景

适合负载不方便拆装的场景，方便安装、拆卸及维护后的重复安装。

使用匹配规格的固定螺丝，安装至电机端盖或外盖、内盖上，电机端盖或外盖、内盖需要预留螺丝孔位；

1.3 规格表

a) 单层毛刷

序号	型号	适配轴径 A	外径尺寸 D	节圆尺寸 E	厚度尺寸 H	安装孔数	安装孔径 G
1	TL-NPY-10D40H5C1	ø8.5~ø10	ø40	ø30	5	4	ø5.5
2	TL-NPY-15D45H5C1	ø13.5~ø15	ø45	ø35	5	4	ø5.5
3	TL-NPY-20D50H5C1	ø18.5~ø20	ø50	ø40	5	4	ø5.5
4	TL-NPY-25D55H5C1	ø23.5~ø25	ø55	ø45	5	4	ø5.5
5	TL-NPY-30D60H5C1	ø28.5~ø30	ø60	ø50	5	4	ø5.5
6	TL-NPY-35D65H5C1	ø33.5~ø35	ø65	ø55	5	4	ø5.5
7	TL-NPY-40D70H5C1	ø38.5~ø40	ø70	ø60	5	4	ø5.5
8	TL-NPY-45D75H5C1	ø43.5~ø45	ø75	ø65	5	4	ø5.5
9	TL-NPY-50D80H5C1	ø48.5~ø50	ø80	ø70	5	4	ø5.5
10	TL-NPY-55D85H5C1	ø53.5~ø55	ø85	ø75	5	4	ø5.5
11	TL-NPY-60D90H5C1	ø58.5~ø60	ø90	ø80	5	4	ø5.5
12	TL-NPY-65D95H5C1	ø63.5~ø65	ø95	ø85	5	4	ø5.5
13	TL-NPY-70D100H5C1	ø68.5~ø70	ø100	ø90	5	4	ø5.5
14	TL-NPY-75D105H5C1	ø73.5~ø75	ø105	ø95	5	4	ø5.5
15	TL-NPY-80D110H5C1	ø78.5~ø80	ø110	ø100	5	4	ø5.5
16	TL-NPY-85D115H5C1	ø83.5~ø85	ø115	ø105	5	4	ø5.5
17	TL-NPY-90D120H5C1	ø88.5~ø90	ø120	ø110	5	4	ø5.5
18	TL-NPY-95D125H5C1	ø93.5~ø95	ø125	ø115	5	4	ø5.5
19	TL-NPY-100D130H5C1	ø98.5~ø100	ø130	ø120	5	4	ø5.5
20	TL-NPY-105D135H5C1	ø103.5~ø105	ø135	ø125	5	4	ø5.5
21	TL-NPY-110D140H5C1	ø108.5~ø110	ø140	ø130	5	4	ø5.5
22	TL-NPY-115D145H5C1	ø113.5~ø115	ø145	ø135	5	4	ø5.5
23	TL-NPY-120D150H5C1	ø118.5~ø120	ø150	ø140	5	4	ø5.5
24	TL-NPY-125D155H5C1	ø123.5~ø125	ø155	ø145	5	4	ø5.5
25	TL-NPY-130D160H5C1	ø128.5~ø130	ø160	ø150	5	4	ø5.5
26	TL-NPY-135D165H5C1	ø133.5~ø135	ø165	ø155	5	4	ø5.5
27	TL-NPY-140D170H5C1	ø138.5~ø140	ø170	ø160	5	4	ø5.5
28	TL-NPY-145D175H5C1	ø143.5~ø145	ø175	ø165	5	4	ø5.5
29	TL-NPY-150D180H5C1	ø148.5~ø150	ø180	ø170	5	4	ø5.5
30	TL-NPY-155D185H5C1	ø153.5~ø155	ø185	ø175	5	4	ø5.5
31	TL-NPY-160D190H5C1	ø158.5~ø160	ø190	ø180	5	4	ø5.5

序号	型号	适配轴径 A	外径尺寸 D	节圆尺寸 E	厚度尺寸 H	安装孔数	安装孔径 G
32	TL-NPY-165D195H5C1	ø163.5~ø165	ø195	ø185	5	4	ø5.5
33	TL-NPY-170D200H5C1	ø168.5~ø170	ø200	ø190	5	4	ø5.5
34	TL-NPY-175D205H5C1	ø173.5~ø175	ø205	ø195	5	4	ø5.5
35	TL-NPY-180D210H5C1	ø178.5~ø180	ø210	ø200	5	4	ø5.5
36	TL-NPY-185D215H5C1	ø183.5~ø185	ø215	ø205	5	4	ø5.5
37	TL-NPY-190D220H5C1	ø188.5~ø190	ø220	ø210	5	4	ø5.5
38	TL-NPY-195D225H5C1	ø193.5~ø195	ø225	ø215	5	4	ø5.5
39	TL-NPY-200D230H5C1	ø198.5~ø200	ø230	ø220	5	4	ø5.5
40	TL-NPY-205D235H5C1	ø203.5~ø205	ø235	ø225	5	4	ø5.5
41	TL-NPY-210D240H5C1	ø208.5~ø210	ø240	ø230	5	4	ø5.5
42	TL-NPY-215D245H5C1	ø213.5~ø215	ø245	ø235	5	4	ø5.5
43	TL-NPY-220D250H5C1	ø218.5~ø220	ø250	ø240	5	4	ø5.5
44	TL-NPY-225D255H5C1	ø223.5~ø225	ø255	ø245	5	4	ø5.5
45	TL-NPY-230D260H5C1	ø228.5~ø230	ø260	ø250	5	4	ø5.5
46	TL-NPY-235D265H5C1	ø233.5~ø235	ø265	ø255	5	4	ø5.5
47	TL-NPY-240D270H5C1	ø238.5~ø240	ø270	ø260	5	4	ø5.5
48	TL-NPY-245D275H5C1	ø243.5~ø245	ø275	ø265	5	4	ø5.5
49	TL-NPY-250D280H5C1	ø248.5~ø250	ø280	ø270	5	4	ø5.5
50	TL-NPY-255D285H5C1	ø253.5~ø255	ø285	ø275	5	4	ø5.5
51	TL-NPY-260D290H5C1	ø258.5~ø260	ø290	ø280	5	4	ø5.5
52	TL-NPY-265D295H5C1	ø263.5~ø265	ø295	ø285	5	4	ø5.5
53	TL-NPY-270D300H5C1	ø268.5~ø270	ø300	ø290	5	4	ø5.5
54	TL-NPY-275D305H5C1	ø273.5~ø275	ø305	ø295	5	4	ø5.5
55	TL-NPY-280D310H5C1	ø278.5~ø280	ø310	ø300	5	4	ø5.5
56	TL-NPY-285D315H5C1	ø283.5~ø285	ø315	ø305	5	4	ø5.5
57	TL-NPY-290D320H5C1	ø288.5~ø290	ø320	ø310	5	4	ø5.5
58	TL-NPY-295D325H5C1	ø293.5~ø295	ø325	ø315	5	4	ø5.5
59	TL-NPY-300D330H5C1	ø298.5~ø300	ø330	ø320	5	4	ø5.5
60	TL-NPY-305D335H5C1	ø303.5~ø305	ø335	ø325	5	4	ø5.5
61	TL-NPY-310D340H5C1	ø308.5~ø310	ø340	ø330	5	4	ø5.5
62	TL-NPY-315D345H5C1	ø313.5~ø315	ø345	ø335	5	4	ø5.5
63	TL-NPY-320D350H5C1	ø318.5~ø320	ø350	ø340	5	4	ø5.5
64	TL-NPY-325D355H5C1	ø323.5~ø325	ø355	ø345	5	4	ø5.5
65	TL-NPY-330D360H5C1	ø328.5~ø330	ø360	ø350	5	4	ø5.5

b) 双层毛刷

序号	型号	适配轴径 A	外径尺寸 D	节圆尺寸 E	厚度尺寸 H	安装孔数	安装孔径 G
1	TL-NPY-10D40H7.5C2	ø8.5~ø10	ø40	ø30	7.5	4	ø5.5
2	TL-NPY-15D45H7.5C2	ø13.5~ø15	ø45	ø35	7.5	4	ø5.5
3	TL-NPY-20D50H7.5C2	ø18.5~ø20	ø50	ø40	7.5	4	ø5.5
4	TL-NPY-25D55H7.5C2	ø23.5~ø25	ø55	ø45	7.5	4	ø5.5
5	TL-NPY-30D60H7.5C2	ø28.5~ø30	ø60	ø50	7.5	4	ø5.5
6	TL-NPY-35D65H7.5C2	ø33.5~ø35	ø65	ø55	7.5	4	ø5.5
7	TL-NPY-40D70H7.5C2	ø38.5~ø40	ø70	ø60	7.5	4	ø5.5
8	TL-NPY-45D75H7.5C2	ø43.5~ø45	ø75	ø65	7.5	4	ø5.5
9	TL-NPY-50D80H7.5C2	ø48.5~ø50	ø80	ø70	7.5	4	ø5.5
10	TL-NPY-55D85H7.5C2	ø53.5~ø55	ø85	ø75	7.5	4	ø5.5
11	TL-NPY-60D90H7.5C2	ø58.5~ø60	ø90	ø80	7.5	4	ø5.5
12	TL-NPY-65D95H7.5C2	ø63.5~ø65	ø95	ø85	7.5	4	ø5.5
13	TL-NPY-70D100H7.5C2	ø68.5~ø70	ø100	ø90	7.5	4	ø5.5
14	TL-NPY-75D105H7.5C2	ø73.5~ø75	ø105	ø95	7.5	4	ø5.5
15	TL-NPY-80D110H7.5C2	ø78.5~ø80	ø110	ø100	7.5	4	ø5.5
16	TL-NPY-85D115H7.5C2	ø83.5~ø85	ø115	ø105	7.5	4	ø5.5
17	TL-NPY-90D120H7.5C2	ø88.5~ø90	ø120	ø110	7.5	4	ø5.5
18	TL-NPY-95D125H7.5C2	ø93.5~ø95	ø125	ø115	7.5	4	ø5.5
19	TL-NPY-100D130H7.5C2	ø98.5~ø100	ø130	ø120	7.5	4	ø5.5
20	TL-NPY-105D135H7.5C2	ø103.5~ø105	ø135	ø125	7.5	4	ø5.5
21	TL-NPY-110D140H7.5C2	ø108.5~ø110	ø140	ø130	7.5	4	ø5.5
22	TL-NPY-115D145H7.5C2	ø113.5~ø115	ø145	ø135	7.5	4	ø5.5
23	TL-NPY-120D150H7.5C2	ø118.5~ø120	ø150	ø140	7.5	4	ø5.5
24	TL-NPY-125D155H7.5C2	ø123.5~ø125	ø155	ø145	7.5	4	ø5.5
25	TL-NPY-130D160H7.5C2	ø128.5~ø130	ø160	ø150	7.5	4	ø5.5
26	TL-NPY-135D165H7.5C2	ø133.5~ø135	ø165	ø155	7.5	4	ø5.5
27	TL-NPY-140D170H7.5C2	ø138.5~ø140	ø170	ø160	7.5	4	ø5.5
28	TL-NPY-145D175H7.5C2	ø143.5~ø145	ø175	ø165	7.5	4	ø5.5
29	TL-NPY-150D180H7.5C2	ø148.5~ø150	ø180	ø170	7.5	4	ø5.5
30	TL-NPY-155D185H7.5C2	ø153.5~ø155	ø185	ø175	7.5	4	ø5.5
31	TL-NPY-160D190H7.5C2	ø158.5~ø160	ø190	ø180	7.5	4	ø5.5

序号	型号	适配轴径 A	外径尺寸 D	节圆尺寸 E	厚度尺寸 H	安装孔数	安装孔径 G
32	TL-NPY-165D195H7.5C2	ø163.5~ø165	ø195	ø185	7.5	4	ø5.5
33	TL-NPY-170D200H7.5C2	ø168.5~ø170	ø200	ø190	7.5	4	ø5.5
34	TL-NPY-175D205H7.5C2	ø173.5~ø175	ø205	ø195	7.5	4	ø5.5
35	TL-NPY-180D210H7.5C2	ø178.5~ø180	ø210	ø200	7.5	4	ø5.5
36	TL-NPY-185D215H7.5C2	ø183.5~ø185	ø215	ø205	7.5	4	ø5.5
37	TL-NPY-190D220H7.5C2	ø188.5~ø190	ø220	ø210	7.5	4	ø5.5
38	TL-NPY-195D225H7.5C2	ø193.5~ø195	ø225	ø215	7.5	4	ø5.5
39	TL-NPY-200D230H7.5C2	ø198.5~ø200	ø230	ø220	7.5	4	ø5.5
40	TL-NPY-205D235H7.5C2	ø203.5~ø205	ø235	ø225	7.5	4	ø5.5
41	TL-NPY-210D240H7.5C2	ø208.5~ø210	ø240	ø230	7.5	4	ø5.5
42	TL-NPY-215D245H7.5C2	ø213.5~ø215	ø245	ø235	7.5	4	ø5.5
43	TL-NPY-220D250H7.5C2	ø218.5~ø220	ø250	ø240	7.5	4	ø5.5
44	TL-NPY-225D255H7.5C2	ø223.5~ø225	ø255	ø245	7.5	4	ø5.5
45	TL-NPY-230D260H7.5C2	ø228.5~ø230	ø260	ø250	7.5	4	ø5.5
46	TL-NPY-235D265H7.5C2	ø233.5~ø235	ø265	ø255	7.5	4	ø5.5
47	TL-NPY-240D270H7.5C2	ø238.5~ø240	ø270	ø260	7.5	4	ø5.5
48	TL-NPY-245D275H7.5C2	ø243.5~ø245	ø275	ø265	7.5	4	ø5.5
49	TL-NPY-250D280H7.5C2	ø248.5~ø250	ø280	ø270	7.5	4	ø5.5
50	TL-NPY-255D285H7.5C2	ø253.5~ø255	ø285	ø275	7.5	4	ø5.5
51	TL-NPY-260D290H7.5C2	ø258.5~ø260	ø290	ø280	7.5	4	ø5.5
52	TL-NPY-265D295H7.5C2	ø263.5~ø265	ø295	ø285	7.5	4	ø5.5
53	TL-NPY-270D300H7.5C2	ø268.5~ø270	ø300	ø290	7.5	4	ø5.5
54	TL-NPY-275D305H7.5C2	ø273.5~ø275	ø305	ø295	7.5	4	ø5.5
55	TL-NPY-280D310H7.5C2	ø278.5~ø280	ø310	ø300	7.5	4	ø5.5
56	TL-NPY-285D315H7.5C2	ø283.5~ø285	ø315	ø305	7.5	4	ø5.5
57	TL-NPY-290D320H7.5C2	ø288.5~ø290	ø320	ø310	7.5	4	ø5.5
58	TL-NPY-295D325H7.5C2	ø293.5~ø295	ø325	ø315	7.5	4	ø5.5
59	TL-NPY-300D330H7.5C2	ø298.5~ø300	ø330	ø320	7.5	4	ø5.5
60	TL-NPY-305D335H7.5C2	ø303.5~ø305	ø335	ø325	7.5	4	ø5.5
61	TL-NPY-310D340H7.5C2	ø308.5~ø310	ø340	ø330	7.5	4	ø5.5
62	TL-NPY-315D345H7.5C2	ø313.5~ø315	ø345	ø335	7.5	4	ø5.5
63	TL-NPY-320D350H7.5C2	ø318.5~ø320	ø350	ø340	7.5	4	ø5.5
64	TL-NPY-325D355H7.5C2	ø323.5~ø325	ø355	ø345	7.5	4	ø5.5
65	TL-NPY-330D360H7.5C2	ø328.5~ø330	ø360	ø350	7.5	4	ø5.5