


支架安装式分体导电环

1.1 示意图



1.2 适用场景

多用于后期加装或改造的项目，支架固定可以更加灵活适配电机端盖设计，分体式方便安装。

使用匹配规格的固定螺丝，安装至电机端盖或外盖、内盖上，电机端盖或外盖、内盖需要预留螺丝孔位；

1.3 规格表

a) 单层毛刷

序号			支架型号: ZJL1045			支架型号: ZJL1060		
				安装孔节圆范围 (M8)			安装孔节圆范围 (M8)	
序号	型号	适配轴径 A	支架高度	D2	D3	支架高度	D2	D3
1	TL-ZPY-10D40H5C1	ø8.5~ø10	10	65	95	10	65	120
2	TL-ZPY-15D45H5C1	ø13.5~ø15	10	70	100	10	70	125
3	TL-ZPY-20D50H5C1	ø18.5~ø20	10	75	105	10	75	130
4	TL-ZPY-25D55H5C1	ø23.5~ø25	10	80	110	10	80	135
5	TL-ZPY-30D60H5C1	ø28.5~ø30	10	85	115	10	85	140
6	TL-ZPY-35D65H5C1	ø33.5~ø35	10	90	120	10	90	145
7	TL-ZPY-40D70H5C1	ø38.5~ø40	10	95	125	10	95	150
8	TL-ZPY-45D75H5C1	ø43.5~ø45	10	100	130	10	100	155
9	TL-ZPY-50D80H5C1	ø48.5~ø50	10	105	135	10	105	160
10	TL-ZPY-55D85H5C1	ø53.5~ø55	10	110	140	10	110	165
11	TL-ZPY-60D90H5C1	ø58.5~ø60	10	115	145	10	115	170
12	TL-ZPY-65D95H5C1	ø63.5~ø65	10	120	150	10	120	175
13	TL-ZPY-70D100H5C1	ø68.5~ø70	10	125	155	10	125	180
14	TL-ZPY-75D105H5C1	ø73.5~ø75	10	130	160	10	130	185
15	TL-ZPY-80D110H5C1	ø78.5~ø80	10	135	165	10	135	190
16	TL-ZPY-85D115H5C1	ø83.5~ø85	10	140	170	10	140	195
17	TL-ZPY-90D120H5C1	ø88.5~ø90	10	145	175	10	145	200
18	TL-ZPY-95D125H5C1	ø93.5~ø95	10	150	180	10	150	205
19	TL-ZPY-100D130H5C1	ø98.5~ø100	10	155	185	10	155	210
20	TL-ZPY-105D135H5C1	ø103.5~ø105	10	160	190	10	160	215
21	TL-ZPY-110D140H5C1	ø108.5~ø110	10	165	195	10	165	220
22	TL-ZPY-115D145H5C1	ø113.5~ø115	10	170	200	10	170	225
23	TL-ZPY-120D150H5C1	ø118.5~ø120	10	175	205	10	175	230
24	TL-ZPY-125D155H5C1	ø123.5~ø125	10	180	210	10	180	235
25	TL-ZPY-130D160H5C1	ø128.5~ø130	10	185	215	10	185	240
26	TL-ZPY-135D165H5C1	ø133.5~ø135	10	190	220	10	190	245
27	TL-ZPY-140D170H5C1	ø138.5~ø140	10	195	225	10	195	250
28	TL-ZPY-145D175H5C1	ø143.5~ø145	10	200	230	10	200	255
29	TL-ZPY-150D180H5C1	ø148.5~ø150	10	205	235	10	205	260
30	TL-ZPY-155D185H5C1	ø153.5~ø155	10	210	240	10	210	265
31	TL-ZPY-160D190H5C1	ø158.5~ø160	10	215	245	10	215	270

32	TL-ZPY-165D195H5C1	ø163.5~ø165	10	220	250	10	220	275
33	TL-ZPY-170D200H5C1	ø168.5~ø170	10	225	255	10	225	280
34	TL-ZPY-175D205H5C1	ø173.5~ø175	10	230	260	10	230	285
35	TL-ZPY-180D210H5C1	ø178.5~ø180	10	235	265	10	235	290
36	TL-ZPY-185D215H5C1	ø183.5~ø185	10	240	270	10	240	295
37	TL-ZPY-190D220H5C1	ø188.5~ø190	10	245	275	10	245	300
38	TL-ZPY-195D225H5C1	ø193.5~ø195	10	250	280	10	250	305
39	TL-ZPY-200D230H5C1	ø198.5~ø200	10	255	285	10	255	310
40	TL-ZPY-205D235H5C1	ø203.5~ø205	10	260	290	10	260	315
41	TL-ZPY-210D240H5C1	ø208.5~ø210	10	265	295	10	265	320
42	TL-ZPY-215D245H5C1	ø213.5~ø215	10	270	300	10	270	325
43	TL-ZPY-220D250H5C1	ø218.5~ø220	10	275	305	10	275	330
44	TL-ZPY-225D255H5C1	ø223.5~ø225	10	280	310	10	280	335
45	TL-ZPY-230D260H5C1	ø228.5~ø230	10	285	315	10	285	340
46	TL-ZPY-235D265H5C1	ø233.5~ø235	10	290	320	10	290	345
47	TL-ZPY-240D270H5C1	ø238.5~ø240	10	295	325	10	295	350
48	TL-ZPY-245D275H5C1	ø243.5~ø245	10	300	330	10	300	355
49	TL-ZPY-250D280H5C1	ø248.5~ø250	10	305	335	10	305	360
50	TL-ZPY-255D285H5C1	ø253.5~ø255	10	310	340	10	310	365
51	TL-ZPY-260D290H5C1	ø258.5~ø260	10	315	345	10	315	370
52	TL-ZPY-265D295H5C1	ø263.5~ø265	10	320	350	10	320	375
53	TL-ZPY-270D300H5C1	ø268.5~ø270	10	325	355	10	325	380
54	TL-ZPY-275D305H5C1	ø273.5~ø275	10	330	360	10	330	385
55	TL-ZPY-280D310H5C1	ø278.5~ø280	10	335	365	10	335	390
56	TL-ZPY-285D315H5C1	ø283.5~ø285	10	340	370	10	340	395
57	TL-ZPY-290D320H5C1	ø288.5~ø290	10	345	375	10	345	400
58	TL-ZPY-295D325H5C1	ø293.5~ø295	10	350	380	10	350	405
59	TL-ZPY-300D330H5C1	ø298.5~ø300	10	355	385	10	355	410
60	TL-ZPY-305D335H5C1	ø303.5~ø305	10	360	390	10	360	415
61	TL-ZPY-310D340H5C1	ø308.5~ø310	10	365	395	10	365	420
62	TL-ZPY-315D345H5C1	ø313.5~ø315	10	370	400	10	370	425
63	TL-ZPY-320D350H5C1	ø318.5~ø320	10	375	405	10	375	430
64	TL-ZPY-325D355H5C1	ø323.5~ø325	10	380	410	10	380	435
65	TL-ZPY-330D360H5C1	ø328.5~ø330	10	385	415	10	385	440

b) 双层毛刷

			支架型号: ZJL1045			支架型号: ZJL1060		
			安装孔节圆范围 (M8)			安装孔节圆范围 (M8)		
序号	型号	适配轴径 A	支架高度	D2	D3	支架高度	D2	D3
1	TL-ZPY-10D40H7.5C2	ø8.5~ø10	10	145	175	10	145	200
2	TL-ZPY-15D45H7.5C2	ø13.5~ø15	10	150	180	10	150	205
3	TL-ZPY-20D50H7.5C2	ø18.5~ø20	10	155	185	10	155	210
4	TL-ZPY-25D55H7.5C2	ø23.5~ø25	10	160	190	10	160	215
5	TL-ZPY-30D60H7.5C2	ø28.5~ø30	10	165	195	10	165	220
6	TL-ZPY-35D65H7.5C2	ø33.5~ø35	10	170	200	10	170	225
7	TL-ZPY-40D70H7.5C2	ø38.5~ø40	10	175	205	10	175	230
8	TL-ZPY-45D75H7.5C2	ø43.5~ø45	10	180	210	10	180	235
9	TL-ZPY-50D80H7.5C2	ø48.5~ø50	10	185	215	10	185	240
10	TL-ZPY-55D85H7.5C2	ø53.5~ø55	10	190	220	10	190	245
11	TL-ZPY-60D90H7.5C2	ø58.5~ø60	10	195	225	10	195	250
12	TL-ZPY-65D95H7.5C2	ø63.5~ø65	10	200	230	10	200	255
13	TL-ZPY-70D100H7.5C2	ø68.5~ø70	10	205	235	10	205	260
14	TL-ZPY-75D105H7.5C2	ø73.5~ø75	10	210	240	10	210	265
15	TL-ZPY-80D110H7.5C2	ø78.5~ø80	10	215	245	10	215	270
16	TL-ZPY-85D115H7.5C2	ø83.5~ø85	10	220	250	10	220	275
17	TL-ZPY-90D120H7.5C2	ø88.5~ø90	10	225	255	10	225	280
18	TL-ZPY-95D125H7.5C2	ø93.5~ø95	10	230	260	10	230	285
19	TL-ZPY-100D130H7.5C2	ø98.5~ø100	10	235	265	10	235	290
20	TL-ZPY-105D135H7.5C2	ø103.5~ø105	10	240	270	10	240	295
21	TL-ZPY-110D140H7.5C2	ø108.5~ø110	10	245	275	10	245	300
22	TL-ZPY-115D145H7.5C2	ø113.5~ø115	10	250	280	10	250	305
23	TL-ZPY-120D150H7.5C2	ø118.5~ø120	10	255	285	10	255	310
24	TL-ZPY-125D155H7.5C2	ø123.5~ø125	10	260	290	10	260	315
25	TL-ZPY-130D160H7.5C2	ø128.5~ø130	10	265	295	10	265	320
26	TL-ZPY-135D165H7.5C2	ø133.5~ø135	10	270	300	10	270	325
27	TL-ZPY-140D170H7.5C2	ø138.5~ø140	10	275	305	10	275	330
28	TL-ZPY-145D175H7.5C2	ø143.5~ø145	10	280	310	10	280	335
29	TL-ZPY-150D180H7.5C2	ø148.5~ø150	10	285	315	10	285	340
30	TL-ZPY-155D185H7.5C2	ø153.5~ø155	10	290	320	10	290	345
31	TL-ZPY-160D190H7.5C2	ø158.5~ø160	10	295	325	10	295	350

32	TL-ZPY-165D195H7.5C2	ø163.5~ø165	10	300	330	10	300	355
33	TL-ZPY-170D200H7.5C2	ø168.5~ø170	10	305	335	10	305	360
34	TL-ZPY-175D205H7.5C2	ø173.5~ø175	10	310	340	10	310	365
35	TL-ZPY-180D210H7.5C2	ø178.5~ø180	10	315	345	10	315	370
36	TL-ZPY-185D215H7.5C2	ø183.5~ø185	10	320	350	10	320	375
37	TL-ZPY-190D220H7.5C2	ø188.5~ø190	10	325	355	10	325	380
38	TL-ZPY-195D225H7.5C2	ø193.5~ø195	10	330	360	10	330	385
39	TL-ZPY-200D230H7.5C2	ø198.5~ø200	10	335	365	10	335	390
40	TL-ZPY-205D235H7.5C2	ø203.5~ø205	10	340	370	10	340	395
41	TL-ZPY-210D240H7.5C2	ø208.5~ø210	10	345	375	10	345	400
42	TL-ZPY-215D245H7.5C2	ø213.5~ø215	10	350	380	10	350	405
43	TL-ZPY-220D250H7.5C2	ø218.5~ø220	10	355	385	10	355	410
44	TL-ZPY-225D255H7.5C2	ø223.5~ø225	10	360	390	10	360	415
45	TL-ZPY-230D260H7.5C2	ø228.5~ø230	10	365	395	10	365	420
46	TL-ZPY-235D265H7.5C2	ø233.5~ø235	10	370	400	10	370	425
47	TL-ZPY-240D270H7.5C2	ø238.5~ø240	10	375	405	10	375	430
48	TL-ZPY-245D275H7.5C2	ø243.5~ø245	10	380	410	10	380	435
49	TL-ZPY-250D280H7.5C2	ø248.5~ø250	10	385	415	10	385	440
50	TL-ZPY-255D285H7.5C2	ø253.5~ø255	10	390	420	10	390	445
51	TL-ZPY-260D290H7.5C2	ø258.5~ø260	10	395	425	10	395	450
52	TL-ZPY-265D295H7.5C2	ø263.5~ø265	10	400	430	10	400	455
53	TL-ZPY-270D300H7.5C2	ø268.5~ø270	10	405	435	10	405	460
54	TL-ZPY-275D305H7.5C2	ø273.5~ø275	10	410	440	10	410	465
55	TL-ZPY-280D310H7.5C2	ø278.5~ø280	10	415	445	10	415	470
56	TL-ZPY-285D315H7.5C2	ø283.5~ø285	10	420	450	10	420	475
57	TL-ZPY-290D320H7.5C2	ø288.5~ø290	10	425	455	10	425	480
58	TL-ZPY-295D325H7.5C2	ø293.5~ø295	10	430	460	10	430	485
59	TL-ZPY-300D330H7.5C2	ø298.5~ø300	10	435	465	10	435	490
60	TL-ZPY-305D335H7.5C2	ø303.5~ø305	10	440	470	10	440	495
61	TL-ZPY-310D340H7.5C2	ø308.5~ø310	10	445	475	10	445	500
62	TL-ZPY-315D345H7.5C2	ø313.5~ø315	10	450	480	10	450	505
63	TL-ZPY-320D350H7.5C2	ø318.5~ø320	10	455	485	10	455	510
64	TL-ZPY-325D355H7.5C2	ø323.5~ø325	10	460	490	10	460	515
65	TL-ZPY-330D360H7.5C2	ø328.5~ø330	10	465	495	10	465	520